US Serial No. 10/534338 Page 2 of 12 RECEIVED CENTRAL FAX CENTER MAR 0 2 2009

In the Claims:

 (currently amended) A flavour or fragrance compound according to formula I having spicy and anisic odour notes

wherein

i)—the bond between C1 and C2 is a single bond;

R1 is methyl, ethyl, i-propyl, n-propyl;

R2 and R3 are independently hydrogen or methyl; or

R² and R³ taken together is a divalent radical (CH₂)_n, C(CH₃)₂, or CH(CH₃) which forms a cycloalkane ring together with the carbon atoms to which it is attached:

R4 and R5 are independently hydrogen or methyl; or

 R^4 and R^5 taken together is a divalent radical $(CH_2)_{n_1}CH_2(CH_3)_{n_2}$, or $(CH_2)_{n_1}CH(CH_3)$ which forms a cycloalkane ring together with the carbon atoms to which it is attached:

n is an integer of 1, 2, 3, or 4; and wherein at least one cycloalkane ring is present.

(previously presented)
A flavour or fragrance compound according to claim 1 selected from the group consisting of:

1-cyclopropylmethyl-4-methylsulfanyl-benzene,

1-cyclobutylmethyl-4-methylsulfanyl-benzene,

1-cyclopentylmethyl-4-methylsulfanyl-benzene, and

1-cyclohexylmethyl-4-methylsulfanyl-benzene.

US Serial No. 10/534338 Page 3 of 12

- 3.(previously presented) A flavour or fragrance compound according to claim 1 in a fragrance or flavour composition.
- 4.(previously presented) A fragrance application comprising a flavour or fragrance compound as defined in claim 1.
- 5.(original) A fragrance application according to claim 4 wherein the fragrance application is a perfume, household product, laundry product, body care product or cosmetic product.
- 6.(previously presented) A flavour application comprising a flavour or fragrance compound according to claim 1.
- 7.(previously presented) A method of flavouring or fragrancing of a product by adding one or more flavour or fragrance compounds according to claim 1 to said product.

8(currently amended)

A compound of formula I

wherein

i) the bond between C1 and C2 is a single bond;

R1 is methyl, ethyl, i-propyl, n-propyl;

R2 and R3 are independently hydrogen or methyl; or

 R^2 and R^3 taken together is a divalent radical $(CH_2)_n$, $C(CH_3)_2$, or $CH(CH_3)$ which forms a cycloalkane ring together with the carbon atoms to which it is attached;

R4 and R5 are independently hydrogen or methyl; or

R⁴ and R⁵ taken together is a divalent radical (CH₂)_n, (CH₂)_{n-1}CH(CH₃)₂, or

US Serial No. 10/534338 Page 4 of 12

> (CH₂)_{n-1}CH(CH₃) which forms a cycloalkane ring together with the carbon atoms to which it is attached;

n is an integer of 1, 2, 3, or 4; and wherein at least one cycloalkane ring is present.

9.(previously presented) A compound according to claim 8 selected from the group consisting of:

1-cyclopropylmethyl-4-methylsulfanyl-benzene, 1-cyclobutylmethyl-4-methylsulfanyl-benzene, 1-cyclopentylmethyl-4-methylsulfanyl-benzene, and 1-cyclopexylmethyl-4-methylsulfanyl-benzene.

- 10.(currently amended) A flavour or fragrance The use of a compound according to claim 2 in a fragrance or flavour composition.
- 11.(previously presented) A fragrance application comprising a compound as defined in claim 2.
- 12.(previously presented) A fragrance application according to claim 11 wherein the fragrance application is a perfume, household product, laundry product, body care product or cosmetic product.
- 13.(previously presented) A flavour application comprising a compound according to claim 2.
- 14.(previously presented) A method of flavouring or fragrancing of a product by adding one or more compounds according to claim 2 to said product.